ELSEVIER

Journal of Affective Disorders 34 (1995) 333–335

JOURNAL OF AFFECTIVE DISORDERS

Author Index

Albus, M., Scheibe, G. and Scherer, J.
Panic disorder with or without concomitant depression 5 years after treatment: a prospective follow-up (34) 109
Allain, T., see Cleare, A.J. (34) 283
Antia, I.J., Smith, C.E., Wood, A.J. and Aronson, J.K.
The upregulation of Na^+,K^+-ATPase pump numbers in lymphocytes from the first-degree unaffected relatives of patients with manic depressive psychosis in response to in vitro lithium and sodium ethacrynate (34) 33
Arai, H., see Kawada, Y. (34) 89
Armitage, R., Hudson, A., Trivedi, M. and Rush, A.J.
Sex differences in the distribution of EEG frequencies during sleep: unipolar depressed outpatients (34) 121
Aronson, J.K., see Antia, I.J. (34) 33

Bancroft, J., see Dye, L. (34) 157
Barge-Schaapveld, D.Q.C.M., Nicolson, N.A., Gerritsen van der Hoop, R. and DeVries, M.W.
Changes in daily life experience associated with clinical improvement in depression (34) 139
Barkley, C., see Girling, D.M. (34) 319
Baumgartner, A., Von Stuckrad, M., Müller-Oerlinghausen, B., Gräf, K.-J. and Kürten, I.
The hypothalamic-pituitary-thyroid axis in patients maintained on lithium prophylaxis for years: high triiodothyronine serum concentrations are correlated to the prophylactic efficacy (34) 211
Bearn, J., see Cleare, A.J. (34) 283
Beekman, A.T.F., Deeg, D.J.H., Smit, J.H. and Van Tilburg, W.
Predicting the course of depression in the older population: results from a community-based study in The Netherlands (34) 41
Beena, M.B., see Chaturvedi, S.K. (34) 193
Bergmans, R., see Maes, M. (34) 301
Berlanga, C. and Ortega-Soto, H.A.
A 3-year follow-up of a group of treatment-resistant depressed patients with a MAOI/tricyclic combination (34) 187
Blockx, P., see Maes, M. (34) 291
Bosmans, E., see Maes, M. (34) 301
Bovier, P., see Widmer, J. (34) 201
Brayne, C., see Girling, D.M. (34) 319
Bungenera, C., see Carton, S. (34) 219
Bushnell, J.A., see Oakley-Browne, M.A. (34) 13

Carpenter, D., Clarkin, J.F., Glick, I.D. and Wilner, P.J.
Personality pathology among married adults with bipolar disorder (34) 269
Carton, S., Morand, P., Bungenera, C. and Jouvent, R.
Sensation-seeking and emotional disturbances in depression: relationships and evolution (34) 219
Chandra, P.S., see Chaturvedi, S.K. (34) 193
Chaturvedi, S.K., Chandra, P.S., Gururaj, G., Pandian, R.D. and Beena, M.B.
Suicidal ideas during premenstrual phase (34) 193
Chhabra, S., see Gash, A.J. (34) 51
Claghorn, J.L. and Lesem, M.D.
A double-blind placebo-controlled study of Org 3770 in depressed outpatients (34) 165
Clarkin, J.F., see Carpenter, D. (34) 269
Cleare, A.J., Bearn, J., Allain, T., McGregor, A., Wessely, S., Murray, R.M. and O'Keane, V.
Contrasting neuroendocrine responses in depression and chronic fatigue syndrome (34) 283
Cooke, R.G., see Krüger, S. (34) 117
Cosyns, P., see Maes, M. (34) 291
Cosyns, P., see Maes, M. (34) 61
Cremniter, D., Guelfi, J.-D., Fourestié, V. and Fermanian, J.
Analysis of the terms used by general practitioners to characterize patients considered by them as depressed. A prospective study on 682 patients (34) 311

Danion, J.-M., Kauffmann-Muller, F., Grangé, D., Zimmermann, M.-A. and Greth, P.
Affective valence of words, explicit and implicit memory in clinical depression (34) 227
Dean, C., Dean, N.R., White, A. and Liu, W.Z.
An adoption study comparing the prevalence of psychiatric illness in women who have adoptive and natural children compared with women who have adoptive children only (34) 55
Dean, N.R., see Dean, C. (34) 55
Deeg, D.J.H., see Beekman, A.T.F. (34) 41
Desnyder, R., see Maes, M. (34) 291
Desnyder, R., see Maes, M. (34) 301
Desnyder, R., see Maes, M. (34) 61
DeVries, M.W., see Barge-Schaapveld, D.Q.C.M. (34) 139
D'Hondt, P., see Maes, M. (34) 61

Dye, L., Warner, P. and Bancroft, J.
Food craving during the menstrual cycle and its relationship to stress, happiness of relationship and depression; a preliminary enquiry (34) 157

Eccleston, D., see Gash, A.J. (34) 51

Fava, M., see Nierenberg, A.A. (34) 73
Feldman-Koffler, F., see Rush, A.J. (34) 25
Fermanian, J., see Cremniter, D. (34) 311
Fourestié, V., see Cremniter, D. (34) 311
Frazier, J., see Geller, B. (34) 259
Friedman, R.A., Markowitz, J.C., Parides, M. and Kocsis, J.H.
Acute response of social functioning in dysthymic patients with desipramine (34) 85
Fukuda, R., see Kawada, Y. (34) 89

Gaillard, J.-M., see Widmer, J. (34) 201
Gash, A.J., Chhabra, S. and Eccleston, D.
Lithium augmentation in a case of renal impairment: risk vs. benefit (34) 51
Gehlhaar, E., see Girling, D.M. (34) 319
Geller, B., Sun, K., Zimerman, B., Luby, J., Frazier, J. and Williams, M.
Complex and rapid-cycling in bipolar children and adolescents: a preliminary study (34) 259
Gerritsen van der Hoop, R., see Barge-Schaapveld, D.Q.C.M. (34) 139
Giles, D.E., see Rush, A.J. (34) 25
Gill, C., see Girling, D.M. (34) 319
Girling, D.M., Barkley, C., Paykel, E.S., Gehlhaar, E., Brayne, C., Gill, C., Mathewson, D. and Huppert, F.A.
The prevalence of depression in a cohort of the very elderly (34) 319
Glick, I.D., see Carpenter, D. (34) 269
Gräf, K.-J., see Baumgartner, A. (34) 211
Grangé, D., see Danion, J.-M. (34) 227
Greth, P., see Danion, J.-M. (34) 227
Grossbard, S.J., see Nierenberg, A.A. (34) 73
Grott, M., see Stein, M.B. (34) 79
Guelfi, J.-D., see Cremniter, D. (34) 311
Gururaj, G., see Chaturvedi, S.K. (34) 193

Haas, G.L., see Malone, K.M. (34) 173
Hanusa, B.H., see Wisner, K.L. (34) 1
Hasey, G.M., see Krüger, S. (34) 117
Hattori, M., see Kawada, Y. (34) 89
Henrotte, J.-G., see Widmer, J. (34) 201
Hilleret, H., see Widmer, J. (34) 201
Hornblow, A.R., see Oakley-Browne, M.A. (34) 13
Hudson, A., see Armitage, R. (34) 121
Hunt, N. and Silverstone, T.
Does puerperal illness distinguish a subgroup of bipolar patients? (34) 101
Huppert, F.A., see Girling, D.M. (34) 319

Inoue, R., see Kawada, Y. (34) 89

Jarrett, R.B., see Rush, A.J. (34) 25
Jorna, T., see Krüger, S. (34) 117
Jouvent, R., see Carton, S. (34) 219
Joyce, P.R., see Oakley-Browne, M.A. (34) 13

Kaschka, W.P., see Rechlin, T. (34) 131
Kaschka, W.P., see Rechlin, T. (34) 249
Kauffmann-Muller, F., see Danion, J.-M. (34) 227
Kawada, Y., Hattori, M., Fukuda, R., Arai, H., Inoue, R. and Nanko, S.
No evidence of linkage or association between tyrosine hydroxylase gene and affective disorder (34) 89
Keller, M.B., see Warshaw, M.G. (34) 235
Kirk, P., see Stein, M.B. (34) 79
Kocsis, J.H., see Friedman, R.A. (34) 85
Krüger, S., Cooke, R.G., Hasey, G.M., Jorna, T. and Persad, E.
Comorbidity of obsessive compulsive disorder in bipolar disorder (34) 117
Kürten, I., see Baumgartner, A. (34) 211

Laux, G., see Rush, A.J. (34) 25
Lesem, M.D., see Claghorn, J.L. (34) 165
Liu, W.Z., see Dean, C. (34) 55
Luby, J., see Geller, B. (34) 259

Maes, M., Meltzer, H.Y., Bosmans, E., Bergmans, R., Vandoolaeghe, E., Ranjan, R. and Desnyder, R.
Increased plasma concentrations of interleukin-6, soluble interleukin-6, soluble interleukin-2 and transferrin receptor in major depression (34) 301
Maes, M., Van Gastel, A., Blockx, P., Martin, M., Cosyns, P., Scharpé, S. and Desnyder, R.
An augmented escape of androstenedione from suppression by dexamethasone in melancholia: relationships to intact ACTH and cortisol nonsuppression (34) 291
Maes, M., Wauters, A., Neels, H., Scharpé, S., Van Gastel, A., D'Hondt, P., Peeters, D., Cosyns, P. and Desnyder, R.
Total serum protein and serum protein fractions in depression: relationships to depressive symptoms and glucocorticoid activity (34) 61
Malone, K.M., Haas, G.L., Sweeney, J.A. and Mann, J.J.
Major depression and the risk of attempted suicide (34) 173
Mann, J.J., see Malone, K.M. (34) 173
Markowitz, J.C., see Friedman, R.A. (34) 85
Martin, M., see Maes, M. (34) 291
Massion, A.O., see Warshaw, M.G. (34) 235
Mathewson, D., see Girling, D.M. (34) 319
McGregor, A., see Cleare, A.J. (34) 283
Meltzer, H.Y., see Maes, M. (34) 301
Morand, P., see Carton, S. (34) 219
Müller-Oerlinghausen, B., see Baumgartner, A. (34) 211
Murray, R.M., see Cleare, A.J. (34) 283

Nanko, S., see Kawada, Y. (34) 89
Neels, H., see Maes, M. (34) 61
Nicolson, N.A., see Barge-Schaapveld, D.Q.C.M. (34) 139
Nierenberg, A.A., Grossbard, S.J., Fava, M. and Rosenbaum, J.F.
Social adjustment does not predict depressive relapse during continuation fluoxetine therapy (34) 73

Oakley-Browne, M.A., Joyce, P.R., Wells, J.E., Bushnell, J.A. and Hornblow, A.R.
Adverse parenting and other childhood experience as risk factors for depression in women aged 18–44 years (34) 13
O'Keane, V., see Cleare, A.J. (34) 283
Ortega-Soto, H.A., see Berlanga, C. (34) 187

Pandian, R.D., see Chaturvedi, S.K. (34) 193
Parides, M., see Friedman, R.A. (34) 85
Paykel, E.S., see Girling, D.M. (34) 319
Peeters, D., see Maes, M. (34) 61
Peindl, K.S., see Wisner, K.L. (34) 1
Persad, E., see Krüger, S. (34) 117
Peterson, L.G., see Warshaw, M.G. (34) 235
Petty, F.
GABA and mood disorders: a brief review and hypothesis (34) 275
Prabhu, V., see Stein, M.B. (34) 79
Pratt, L.A., see Warshaw, M.G. (34) 235

Raffin, Y., see Widmer, J. (34) 201
Ranjan, R., see Maes, M. (34) 301
Rechlin, T., Weis, M. and Kaschka, W.P.
Is diurnal variation of mood associated with parasympathetic activity? (34) 249
Rechlin, T., Weis, M., Schneider, K., Zimmermann, U. and Kaschka, W.P.
Does bright-light therapy influence autonomic heart-rate parameters? (34) 131
Rey, J.M.
Perceptions of poor maternal care are associated with adolescent depression (34) 95
Rosenbaum, J.F., see Nierenberg, A.A. (34) 73
Rush, A.J., Laux, G., Giles, D.E., Jarrett, R.B., Weissenburger, J., Feldman-Koffler, F. and Stone, L.
Clinical characteristics of outpatients with chronic major depression (34) 25
Rush, A.J., see Armitage, R. (34) 121

Scharpé, S., see Maes, M. (34) 291
Scharpé, S., see Maes, M. (34) 61
Scheibe, G., see Albus, M. (34) 109
Scherer, J., see Albus, M. (34) 109
Schneider, K., see Rechlin, T. (34) 131
Silverstone, T., see Hunt, N. (34) 101
Smit, J.H., see Beekman, A.T.F. (34) 41
Smith, C.E., see Antia, I.J. (34) 33
Stein, M.B., Kirk, P., Prabhu, V., Grott, M. and Terepa, M.
Mixed anxiety-depression in a primary-care clinic (34) 79
Stone, L., see Rush, A.J. (34) 25
Sun, K., see Geller, B. (34) 259
Sweeney, J.A., see Malone, K.M. (34) 173

Terepa, M., see Stein, M.B. (34) 79
Trivedi, M., see Armitage, R. (34) 121

Vandoolaeghe, E., see Maes, M. (34) 301
Van Gastel, A., see Maes, M. (34) 291
Van Gastel, A., see Maes, M. (34) 61
Van Tilburg, W., see Beekman, A.T.F. (34) 41
Von Stuckrad, M., see Baumgartner, A. (34) 211

Warner, P., see Dye, L. (34) 157
Warshaw, M.G., Massion, A.O., Peterson, L.G., Pratt, L.A. and Keller, M.B.
Suicidal behavior in patients with panic disorder: retrospective and prospective data (34) 235
Wauters, A., see Maes, M. (34) 61
Weis, M., see Rechlin, T. (34) 131
Weis, M., see Rechlin, T. (34) 249
Weissenburger, J., see Rush, A.J. (34) 25
Wells, J.E., see Oakley-Browne, M.A. (34) 13
Wessely, S., see Cleare, A.J. (34) 283
White, A., see Dean, C. (34) 55
Widmer, J., Henrotte, J.-G., Raffin, Y., Bovier, P., Hilleret, H. and Gaillard, J.-M.
Relationship between erythrocyte magnesium, plasma electrolytes and cortisol, and intensity of symptoms in major depressed patients (34) 201
Williams, M., see Geller, B. (34) 259
Wilner, P.J., see Carpenter, D. (34) 269
Wisner, K.L., Peindl, K.S. and Hanusa, B.H.
Psychiatric episodes in women with young children (34) 1
Wood, A.J., see Antia, I.J. (34) 33

Zimerman, B., see Geller, B. (34) 259
Zimmermann, M.-A., see Danion, J.-M. (34) 227
Zimmermann, U., see Rechlin, T. (34) 131

ELSEVIER

Journal of Affective Disorders 34 (1995) 337–342

JOURNAL OF AFFECTIVE DISORDERS

Keyword Index

Activities of daily living
Depression; Quality of life; Experience sampling; Negative affect; Positive affect (Barge-Schaapveld, D.Q.C.M. (34) 139)

Acute-phase protein
Depression; Globulin; Electrophoresis; Albumin; Cortisol; HPA axis; Depressive symptom; Sickness behavior (Maes, M. (34) 61)

Adolescent
Parental bonding instrument; Major depression; Dysthymic disorder; Conduct disorder; Separation anxiety disorder (Rey, J.M. (34) 95)

Rapid-cycling; Child; Bipolar affective disorder; Hyperactivity; Mixed mania (Geller, B. (34) 259)

Adoption
Affective disorder; Child-rearing (Dean, C. (34) 55)

Adrenocorticotropic hormone
Depression; Cortisol; Androstenedione; Dexamethasone suppression test (Maes, M. (34) 291)

Affective disorder
Child-rearing; Adoption (Dean, C. (34) 55)

Tyrosine hydroxylase; Polymorphism; Tetranucleotide; Linkage; Association (Kawada, Y. (34) 89)

Depression; Electrolyte; Erythrocyte; Magnesium; Sodium; Potassium; Calcium; Cortisol (Widmer, J. (34) 201)

Aged
Depression; CAMDEX; DSM-III-R; Prevalence; Diagnosis (Girling, D.M. (34) 319)

Albumin
Depression; Globulin; Acute-phase protein; Electrophoresis; Cortisol; HPA axis; Depressive symptom; Sickness behavior (Maes, M. (34) 61)

Amitryptiline
Depression; Treatment resistance; Isocarboxazide; Long-term outcome; Clinical difference (Berlanga, C. (34) 187)

Androstenedione
Depression; Cortisol; Adrenocorticotropic hormone; Dexamethasone suppression test (Maes, M. (34) 291)

Anhedonia
Sensation-seeking; Depression; Emotional disturbance; Personality trait (Carton, S. (34) 219)

Association
Affective disorder; Tyrosine hydroxylase; Polymorphism; Tetranucleotide; Linkage (Kawada, Y. (34) 89)

Biological marker
GABA; Mood disorder; Bipolar disorder; Depression; Mania (Petty, F. (34) 275)

Bipolar affective disorder
Rapid-cycling; Child; Adolescent; Hyperactivity; Mixed mania (Geller, B. (34) 259)

Bipolar disorder
Puerperium; Gender (Hunt, N. (34) 101)

Major depression; Prevalence; OCD; Comorbidity (Krüger, S. (34) 117)

Personality disorder; Social adjustment; Personality disorder examination (Carpenter, D. (34) 269)

GABA; Mood disorder; Depression; Mania; Biological marker (Petty, F. (34) 275)

Bright-light therapy
Parasympathetic function; Heart-rate analysis; Heart-rate variation (Rechlin, T. (34) 131)

Calcium
Affective disorder; Depression; Electrolyte; Erythrocyte; Magnesium; Sodium; Potassium; Cortisol (Widmer, J. (34) 201)

CAMDEX
Depression; DSM-III-R; Aged; Prevalence; Diagnosis (Girling, D.M. (34) 319)

Child
Rapid-cycling; Adolescent; Bipolar affective disorder; Hyperactivity; Mixed mania (Geller, B. (34) 259)

Child-rearing
Affective disorder; Adoption (Dean, C. (34) 55)

Chronic depression
Major depression; Clinical characteristic; Outpatient (Rush, A.J. (34) 25)

Chronic fatigue syndrome
Depression; 5-HT; Hypothalamic-pituitary-adrenal axis; Cortisol; *d*-Fenfluramine (Cleare, A.J. (34) 283)

Circadian rhythm
Heart-rate variability; Diurnal mood variation; Parasympathetic activity in depression (Rechlin, T. (34) 249)

Clinical characteristic
Major depression; Chronic depression; Outpatient (Rush, A.J. (34) 25)

Clinical difference
Depression; Treatment resistance; Amitryptiline; Isocarboxazide; Long-term outcome (Berlanga, C. (34) 187)

Community
Depression; Course; Elderly; Prediction (Beekman, A.T.F. (34) 41)

Comorbidity
Major depression; Prevalence; OCD; Bipolar disorder (Krüger, S. (34) 117)

Computer analysis
Sleep EEG; Depression; Gender; Period-amplitude analysis (Armitage, R. (34) 121)

Concomitant depression
Panic disorder; Outcome; Follow-up (Albus, M. (34) 109)

Conduct disorder
Parental bonding instrument; Major depression; Dysthymic disorder; Separation anxiety disorder; Adolescent (Rey, J.M. (34) 95)

Continuation treatment
Social adjustment; Depressive relapse; Fluoxetine (Nierenberg, A.A. (34) 73)

Cortisol
Depression; Globulin; Acute-phase protein; Electrophoresis; Albumin; HPA axis; Depressive symptom; Sickness behavior (Maes, M. (34) 61)

Affective disorder; Depression; Electrolyte; Erythrocyte; Magnesium; Sodium; Potassium; Calcium (Widmer, J. (34) 201)

Chronic fatigue syndrome; Depression; 5-HT; Hypothalamic-pituitary-adrenal axis; *d*-Fenfluramine (Cleare, A.J. (34) 283)

Depression; Adrenocorticotropic hormone; Androstenedione; Dexamethasone suppression test (Maes, M. (34) 291)

Course
Depression; Elderly; Community; Prediction (Beekman, A.T.F. (34) 41)

Depression
Risk factor; Parental bonding instrument (Oakley-Browne, M.A. (34) 13)

Course; Elderly; Community; Prediction (Beekman, A.T.F. (34) 41)

Globulin; Acute-phase protein; Electrophoresis; Albumin; Cortisol; HPA axis; Depressive symptom; Sickness behavior (Maes, M. (34) 61)

Sleep EEG; Gender; Period-amplitude analysis; Computer analysis (Armitage, R. (34) 121)

Quality of life; Activities of daily living; Experience sampling; Negative affect; Positive affect (Barge-Schaapveld, D.Q.C.M. (34) 139)

Treatment resistance; Amitryptiline; Isocarboxazide; Long-term outcome; Clinical difference (Berlanga, C. (34) 187)

Suicidal idea; Premenstrual syndrome; Premenstrual distress (Chaturvedi, S.K. (34) 193)

Affective disorder; Electrolyte; Erythrocyte; Magnesium; Sodium; Potassium; Calcium; Cortisol (Widmer, J. (34) 201)

Sensation-seeking; Emotional disturbance; Anhedonia; Personality trait (Carton, S. (34) 219)

Explicit memory; Implicit memory; Repetition priming; Emotionality; Mood congruency (Danion, J.-M. (34) 227)

GABA; Mood disorder; Bipolar disorder; Mania; Biological marker (Petty, F. (34) 275)

Chronic fatigue syndrome; 5-HT; Hypothalamic-pituitary-adrenal axis; Cortisol; *d*-Fenfluramine (Cleare, A.J. (34) 283)

Cortisol; Adrenocorticotropic hormone; Androstenedione; Dexamethasone suppression test (Maes, M. (34) 291)

General practice; Symptomatology (Cremniter, D. (34) 311)

CAMDEX; DSM-III-R; Aged; Prevalence; Diagnosis (Girling, D.M. (34) 319)

Depressive relapse
Social adjustment; Fluoxetine; Continuation treatment (Nierenberg, A.A. (34) 73)

Depressive symptom
Depression; Globulin; Acute-phase protein; Electrophoresis; Albumin; Cortisol; HPA axis; Sickness behavior (Maes, M. (34) 61)

Desipramine
Dysthymia; Social functioning (Friedman, R.A. (34) 85)

Dexamethasone suppression test
Depression; Cortisol; Adrenocorticotropic hormone; Androstenedione (Maes, M. (34) 291)

Diagnosis
Depression; CAMDEX; DSM-III-R; Aged; Prevalence (Girling, D.M. (34) 319)

Diurnal mood variation
Heart-rate variability; Circadian rhythm; Parasympathetic activity in depression (Rechlin, T. (34) 249)

DSM-III-R
Depression; CAMDEX; Aged; Prevalence; Diagnosis (Girling, D.M. (34) 319)

Dysthymia
Desipramine; Social functioning (Friedman, R.A. (34) 85)

Dysthymic disorder
Parental bonding instrument; Major depression; Conduct disorder; Separation anxiety disorder; Adolescent (Rey, J.M. (34) 95)

Elderly
Depression; Course; Community; Prediction (Beekman, A.T.F. (34) 41)

Treatment-resistant depression; Lithium augmentation; Renal impairment (Gash, A.J. (34) 51)

Electrolyte
Affective disorder; Depression; Erythrocyte; Magnesium; Sodium; Potassium; Calcium; Cortisol (Widmer, J. (34) 201)

Electrophoresis
Depression; Globulin; Acute-phase protein; Albumin; Cortisol; HPA axis; Depressive symptom; Sickness behavior (Maes, M. (34) 61)

Emotional disturbance
Sensation-seeking; Depression; Anhedonia; Personality trait (Carton, S. (34) 219)

Emotionality
Depression; Explicit memory; Implicit memory; Repetition priming; Mood congruency (Danion, J.-M. (34) 227)

Erythrocyte
Affective disorder; Depression; Electrolyte; Magnesium; Sodium; Potassium; Calcium; Cortisol (Widmer, J. (34) 201)

Experience sampling
Depression; Quality of life; Activities of daily living; Negative affect; Positive affect (Barge-Schaapveld, D.Q.C.M. (34) 139)

Explicit memory
Depression; Implicit memory; Repetition priming; Emotionality; Mood congruency (Danion, J.-M. (34) 227)

***d*-Fenfluramine**
Chronic fatigue syndrome; Depression; 5-HT; Hypothalamic-pituitary-adrenal axis; Cortisol (Cleare, A.J. (34) 283)

Fluoxetine
Social adjustment; Depressive relapse; Continuation treatment (Nierenberg, A.A. (34) 73)

Major depression; Psychoneuroimmunology; Interleukin; Interleukin-6; Interleukin-2; Soluble interleukin-6 and -2 receptor; Transferrin receptor (Maes, M. (34) 301)

Follow-up
Panic disorder; Concomitant depression; Outcome (Albus, M. (34) 109)

GABA
Mood disorder; Bipolar disorder; Depression; Mania; Biological marker (Petty, F. (34) 275)

Gender
Bipolar disorder; Puerperium (Hunt, N. (34) 101)

Sleep EEG; Depression; Period-amplitude analysis; Computer analysis (Armitage, R. (34) 121)

General practice
Depression; Symptomatology (Cremniter, D. (34) 311)

Genetics
Lithium; Lymphocyte; Na^+,K^+-ATPase; Manic depressive disorder (Antia, I.J. (34) 33)

Globulin
Depression; Acute-phase protein; Electrophoresis; Albumin; Cortisol; HPA axis; Depressive symptom; Sickness behavior (Maes, M. (34) 61)

Heart-rate analysis
Bright-light therapy; Parasympathetic function; Heart-rate variation (Rechlin, T. (34) 131)

Heart-rate variability
Diurnal mood variation; Circadian rhythm; Parasympathetic activity in depression (Rechlin, T. (34) 249)

Heart-rate variation
Bright-light therapy; Parasympathetic function; Heart-rate analysis (Rechlin, T. (34) 131)

HPA axis
Depression; Globulin; Acute-phase protein; Electrophoresis; Albumin; Cortisol; Depressive symptom; Sickness behavior (Maes, M. (34) 61)

5-HT
Chronic fatigue syndrome; Depression; Hypothalamic-pituitary-adrenal axis; Cortisol; *d*-Fenfluramine (Cleare, A.J. (34) 283)

Hyperactivity
Rapid-cycling; Child; Adolescent; Bipolar affective disorder; Mixed mania (Geller, B. (34) 259)

Hypothalamic-pituitary-adrenal axis
Chronic fatigue syndrome; Depression; 5-HT; Cortisol; *d*-Fenfluramine (Cleare, A.J. (34) 283)

Implicit memory
Depression; Explicit memory; Repetition priming; Emotionality; Mood congruency (Danion, J.-M. (34) 227)

Interleukin
Major depression; Psychoneuroimmunology; Interleukin-6; Interleukin-2; Soluble interleukin-6 and -2 receptor; Transferrin receptor; Fluoxetine (Maes, M. (34) 301)

Interleukin-2
Major depression; Psychoneuroimmunology; Interleukin; Interleukin-6; Soluble interleukin-6 and -2 receptor; Transferrin receptor; Fluoxetine (Maes, M. (34) 301)

Interleukin-6
Major depression; Psychoneuroimmunology; Interleukin; Interleukin-2; Soluble interleukin-6 and -2 receptor; Transferrin receptor; Fluoxetine (Maes, M. (34) 301)

Isocarboxazide
Depression; Treatment resistance; Amitryptiline; Long-term outcome; Clinical difference (Berlanga, C. (34) 187)

Linkage
Affective disorder; Tyrosine hydroxylase; Polymorphism; Tetranucleotide; Association (Kawada, Y. (34) 89)

Lithium
Genetics; Lymphocyte; Na^+,K^+-ATPase; Manic depressive disorder (Antia, I.J. (34) 33)

Major depressive disorder; Thyrotropine; Thyroid hormone (Baumgartner, A. (34) 211)

Lithium augmentation
Treatment-resistant depression; Elderly; Renal impairment (Gash, A.J. (34) 51)

Long-term outcome
Depression; Treatment resistance; Amitryptiline; Isocarboxazide; Clinical difference (Berlanga, C. (34) 187)

Lymphocyte
Genetics; Lithium; Na^+,K^+-ATPase; Manic depressive disorder (Antia, I.J. (34) 33)

Magnesium
Affective disorder; Depression; Electrolyte; Erythrocyte; Sodium; Potassium; Calcium; Cortisol (Widmer, J. (34) 201)

Major depression
Chronic depression; Clinical characteristic; Outpatient (Rush, A.J. (34) 25)

Parental bonding instrument; Dysthymic disorder; Conduct disorder; Separation anxiety disorder; Adolescent (Rey, J.M. (34) 95)

Prevalence; OCD; Bipolar disorder; Comorbidity (Krüger, S. (34) 117)

Org 3770 (Claghorn, J.L. (34) 165)

Psychoneuroimmunology; Interleukin; Interleukin-6; Interleukin-2; Soluble interleukin-6 and -2 receptor; Transferrin receptor; Fluoxetine (Maes, M. (34) 301)

Major depressive disorder
Lithium; Thyrotropine; Thyroid hormone (Baumgartner, A. (34) 211)

Mania
GABA; Mood disorder; Bipolar disorder; Depression; Biological marker (Petty, F. (34) 275)

Manic depressive disorder
Genetics; Lithium; Lymphocyte; Na^+,K^+-ATPase (Antia, I.J. (34) 33)

Mixed mania
Rapid-cycling; Child; Adolescent; Bipolar affective disorder; Hyperactivity (Geller, B. (34) 259)

Mood congruency
Depression; Explicit memory; Implicit memory; Repetition priming; Emotionality (Danion, J.-M. (34) 227)

Mood disorder
Pregnancy; Postpartum depression; Postpartum psychosis (Wisner, K.L. (34) 1)

GABA; Bipolar disorder; Depression; Mania; Biological marker (Petty, F. (34) 275)

Na^+,K^+-ATPase
Genetics; Lithium; Lymphocyte; Manic depressive disorder (Antia, I.J. (34) 33)

Negative affect
Depression; Quality of life; Activities of daily living; Experience sampling; Positive affect (Barge-Schaapveld, D.Q.C.M. (34) 139)

OCD
Major depression; Prevalence; Bipolar disorder; Comorbidity (Krüger, S. (34) 117)

Org 3770
Major depression (Claghorn, J.L. (34) 165)

Outcome
Panic disorder; Concomitant depression; Follow-up (Albus, M. (34) 109)

Outpatient
Major depression; Chronic depression; Clinical characteristic (Rush, A.J. (34) 25)

Panic disorder
Concomitant depression; Outcome; Follow-up (Albus, M. (34) 109)

Suicide; Prospective (Warshaw, M.G. (34) 235)

Parasympathetic activity in depression
Heart-rate variability; Diurnal mood variation; Circadian rhythm (Rechlin, T. (34) 249)

Parasympathetic function
Bright-light therapy; Heart-rate analysis; Heart-rate variation (Rechlin, T. (34) 131)

Parental bonding instrument
Depression; Risk factor (Oakley-Browne, M.A. (34) 13)

Major depression; Dysthymic disorder; Conduct disorder; Separation anxiety disorder; Adolescent (Rey, J.M. (34) 95)

Period-amplitude analysis
Sleep EEG; Depression; Gender; Computer analysis (Armitage, R. (34) 121)

Personality disorder
Bipolar disorder; Social adjustment; Personality disorder examination (Carpenter, D. (34) 269)

Personality disorder examination
Bipolar disorder; Personality disorder; Social adjustment (Carpenter, D. (34) 269)

Personality trait
Sensation-seeking; Depression; Emotional disturbance; Anhedonia (Carton, S. (34) 219)

Polymorphism
Affective disorder; Tyrosine hydroxylase; Tetranucleotide; Linkage; Association (Kawada, Y. (34) 89)

Positive affect
Depression; Quality of life; Activities of daily living; Experience sampling; Negative affect (Barge-Schaapveld, D.Q.C.M. (34) 139)

Postpartum depression
Pregnancy; Postpartum psychosis; Mood disorder (Wisner, K.L. (34) 1)

Postpartum psychosis
Pregnancy; Postpartum depression; Mood disorder (Wisner, K.L. (34) 1)

Potassium
Affective disorder; Depression; Electrolyte; Erythrocyte; Magnesium; Sodium; Calcium; Cortisol (Widmer, J. (34) 201)

Prediction
Depression; Course; Elderly; Community (Beekman, A.T.F. (34) 41)

Pregnancy
Postpartum depression; Postpartum psychosis; Mood disorder (Wisner, K.L. (34) 1)

Premenstrual distress
Suicidal idea; Premenstrual syndrome; Depression (Chaturvedi, S.K. (34) 193)

Premenstrual syndrome
Suicidal idea; Depression; Premenstrual distress (Chaturvedi, S.K. (34) 193)

Prevalence
Major depression; OCD; Bipolar disorder; Comorbidity (Krüger, S. (34) 117)

Depression; CAMDEX; DSM-III-R; Aged; Diagnosis (Girling, D.M. (34) 319)

Prospective
Suicide; Panic disorder (Warshaw, M.G. (34) 235)

Psychoneuroimmunology
Major depression; Interleukin; Interleukin-6; Interleukin-2; Soluble interleukin-6 and -2 receptor; Transferrin receptor; Fluoxetine (Maes, M. (34) 301)

Puerperium
Bipolar disorder; Gender (Hunt, N. (34) 101)

Quality of life
Depression; Activities of daily living; Experience sampling; Negative affect; Positive affect (Barge-Schaapveld, D.Q.C.M. (34) 139)

Rapid-cycling
Child; Adolescent; Bipolar affective disorder; Hyperactivity; Mixed mania (Geller, B. (34) 259)

Renal impairment
Treatment-resistant depression; Lithium augmentation; Elderly (Gash, A.J. (34) 51)

Repetition priming
Depression; Explicit memory; Implicit memory; Emotionality; Mood congruency (Danion, J.-M. (34) 227)

Risk factor
Depression; Parental bonding instrument (Oakley-Browne, M.A. (34) 13)

Sensation-seeking
Depression; Emotional disturbance; Anhedonia; Personality trait (Carton, S. (34) 219)

Separation anxiety disorder
Parental bonding instrument; Major depression; Dysthymic disorder; Conduct disorder; Adolescent (Rey, J.M. (34) 95)

Sickness behavior
Depression; Globulin; Acute-phase protein; Electrophoresis; Albumin; Cortisol; HPA axis; Depressive symptom (Maes, M. (34) 61)

Sleep EEG
Depression; Gender; Period-amplitude analysis; Computer analysis (Armitage, R. (34) 121)

Social adjustment
Depressive relapse; Fluoxetine; Continuation treatment (Nierenberg, A.A. (34) 73)

Bipolar disorder; Personality disorder; Personality disorder examination (Carpenter, D. (34) 269)

Social functioning
Dysthymia; Desipramine (Friedman, R.A. (34) 85)

Sodium
Affective disorder; Depression; Electrolyte; Erythrocyte; Magnesium; Potassium; Calcium; Cortisol (Widmer, J. (34) 201)

Soluble interleukin-6 and -2 receptor
Major depression; Psychoneuroimmunology; Interleukin; Interleukin-6; Interleukin-2; Transferrin receptor; Fluoxetine (Maes, M. (34) 301)

Suicidal idea
Premenstrual syndrome; Depression; Premenstrual distress (Chaturvedi, S.K. (34) 193)

Suicide
Panic disorder; Prospective (Warshaw, M.G. (34) 235)

Symptomatology
Depression; General practice (Cremniter, D. (34) 311)

Tetranucleotide
Affective disorder; Tyrosine hydroxylase; Polymorphism; Linkage; Association (Kawada, Y. (34) 89)

Thyroid hormone
Lithium; Major depressive disorder; Thyrotropine (Baumgartner, A. (34) 211)

Thyrotropine
Lithium; Major depressive disorder; Thyroid hormone (Baumgartner, A. (34) 211)

Transferrin receptor
Major depression; Psychoneuroimmunology; Interleukin; Interleukin-6; Interleukin-2; Soluble interleukin-6 and -2 receptor; Fluoxetine (Maes, M. (34) 301)

Treatment resistance
Depression; Amitryptiline; Isocarboxazide; Long-term outcome; Clinical difference (Berlanga, C. (34) 187)

Treatment-resistant depression
Lithium augmentation; Elderly; Renal impairment (Gash, A.J. (34) 51)

Tyrosine hydroxylase
Affective disorder; Polymorphism; Tetranucleotide; Linkage; Association (Kawada, Y. (34) 89)